

**UGANDA TECHNOLOGY AND MANAGEMENT UNIVERSITY  
SCHOOL OF TECHNOLOGY, COMPUTING AND ENGINEERING  
BACHELOR OF SCIENCE IN COMPUTER SECURITY FORENSICS  
YEAR 2 SEMESTER 1 MAY -AUGUST 2024 SEMESTER EXAMINATION RESULTS**

|                              |                   | Semester 1 |          |      |    |          |      |      |          |      |      |          |      |      |          |      |      |          |       |      |       |        |        |       |       |  |   |    |  |  |  |  |  |
|------------------------------|-------------------|------------|----------|------|----|----------|------|------|----------|------|------|----------|------|------|----------|------|------|----------|-------|------|-------|--------|--------|-------|-------|--|---|----|--|--|--|--|--|
| No                           | Reg Number        | Sex        | BBA 2108 |      |    | CIS 2101 |      |      | CNW 2100 |      |      | CSC 2101 |      |      | CSC 2103 |      |      | CSF 2100 |       |      | 22    | 22     | GPA    | TCU   | TWS   | CGPA   | Cumulative Remarks  |    |  |  |  |  |  |
|                              |                   |            | Cw       | Ex   | FN | Cw       | Ex   | FN   | Cw       | Ex   | FN   | Cw       | Ex   | FN   | Cw       | Ex   | FN   | Cw       | Ex    | FN   | CU    | WS     |        |       |       |  |   |    |  |  |  |  |  |
| <b>NORMAL PROGRESS</b>       |                   |            |          |      |    |          |      |      |          |      |      |          |      |      |          |      |      |          |       |      |       |        |        |       |       |  |   |    |  |  |  |  |  |
| 1                            | MAY23/CSF/3329U/F | F          | 64.5     | 73.0 | 70 | 67.5     | 77.0 | 74   | 90.0     | 76.0 | 80   | 82.0     | 73.0 | 76   | 80.5     | 82.0 | 82   | 87.5     | 88.0  | 88   | 22    | 101.00 | 4.59   | 65.0  | 270.0 | 4.15   | NP  |    |  |  |  |  |  |
| 2                            | MAY23/CSF/3072U/F | M          | 59.5     | 73.0 | 69 | 67.5     | 56.0 | 59   | 75.0     | 67.0 | 69   | 77.0     | 62.0 | 67   | 65.0     | 78.0 | 74   | 86.5     | 76.0  | 79   | 22    | 78.50  | 3.57   | 65.0  | 256.0 | 3.94   | NP  |    |  |  |  |  |  |
| 3                            | MAY23/CSF/2866U/H | M          |          |      | 65 |          |      |      | 75       | 67.5 | 58.0 | 61       |      |      | 75       | 82.0 | 80.0 | 81       | 67.0  | 56.0 | 59    | 22     | 83.50  | 3.80  | 65.0  | 232.0  | 3.57  | NP |  |  |  |  |  |
| 4                            | MAY23/CSF/3319U/F | F          | 60.5     | 84.0 | 77 | 67.5     | 61.0 | 63   | 86.5     | 78.0 | 81   | 68.0     | 81.0 | 77   | 63.5     | 78.0 | 74   | 79.0     | 77.0  | 78   | 22    | 93.50  | 4.25   | 65.0  | 259.5 | 3.99   | NP  |    |  |  |  |  |  |
| 5                            | MAY23/CSF/3195U/F | M          | 60.5     | 71.0 | 68 | 85.0     | 60.0 | 68   | 88.5     | 77.0 | 80   | 78.5     | 40.0 | 52   | 72.5     | 69.0 | 70   | 91.5     | 95.0  | 94   | 22    | 84.50  | 3.84   | 65.0  | 233.5 | 3.59   | NP  |    |  |  |  |  |  |
| 6                            | MAY23/CSF/3018U/F | M          | 71.5     | 74.0 | 73 | 72.5     | 74.0 | 74   | 94.5     | 68.0 | 76   | 85.5     | 84.0 | 84   | 77.0     | 81.0 | 80   | 82.5     | 93.0  | 90   | 22    | 101.00 | 4.59   | 65.0  | 301.0 | 4.63   | NP  |    |  |  |  |  |  |
| 7                            | MAY23/CSF/3272U/F | M          | 65.0     | 84.0 | 78 | 85.0     | 74.0 | 77   | 87.0     | 79.0 | 81   | 73.0     | 68.0 | 70   | 73.5     | 80.0 | 78   | 89.5     | 88.0  | 88   | 22    | 101.00 | 4.59   | 65.0  | 292.5 | 4.50   | NP  |    |  |  |  |  |  |
| 8                            | MAY23/CSF/3335U/F | M          | 58.0     | 62.0 | 61 | 77.5     | 68.0 | 71   | 77.5     | 57.0 | 63   | 68.0     | 70.0 | 69   | 78.5     | 64.0 | 68   | 85.5     | 73.0  | 77   | 22    | 79.50  | 3.61   | 65.0  | 220.5 | 3.39   | NP  |    |  |  |  |  |  |
| 9                            | MAY23/CSF/2680U/F | F          | 67.0     | 80.0 | 76 | 85.0     | 78.0 | 80   | 95.0     | 71.0 | 78   | 87.0     | 54.0 | 64   | 77.0     | 84.0 | 82   | 84.0     | 66.0  | 71   | 22    | 94.50  | 4.30   | 65.0  | 273.0 | 4.20   | NP  |    |  |  |  |  |  |
| 10                           | MAY23/CSF/2788U/F | F          | 64.0     | 84.0 | 78 | 80.0     | 78.0 | 79   | 88.0     | 71.0 | 76   | 74.0     | 82.0 | 80   | 78.5     | 83.0 | 82   | 95.5     | 86.0  | 89   | 22    | 104.50 | 4.75   | 65.0  | 276.0 | 4.25   | NP  |    |  |  |  |  |  |
| 11                           | MAY23/CSF/3331U/F | M          | 75.0     | 74.0 | 74 | 82.5     | 66.0 | 71   | 87.5     | 78.0 | 81   | 84.0     | 73.0 | 70   | 72.5     | 60.0 | 64   | 79.5     | 56.0  | 63   | 22    | 85.00  | 3.86   | 65.0  | 256.0 | 3.94   | NP  |    |  |  |  |  |  |
| 12                           | MAY23/CSF/2486U/F | M          | 70.0     | 85.0 | 67 | 90.0     | 68.0 | 75   | 92.5     | 63.0 | 72   | 79.0     | 58.0 | 64   | 63.0     | 75.0 | 71   | 90.5     | 58.0  | 68   | 22    | 82.50  | 3.75   | 65.0  | 262.5 | 4.04   | NP  |    |  |  |  |  |  |
| 13                           | MAY23/CSF/2990U/F | M          | 74.5     | 84.0 | 81 | 87.5     | 81.0 | 83   | 88.0     | 79.0 | 82   | 75.5     | 76.0 | 76   | 78.5     | 91.0 | 87   | 88.0     | 80.0  | 82   | 22    | 108.00 | 4.91   | 65.0  | 298.0 | 4.59   | NP  |    |  |  |  |  |  |
| 14                           | MAY23/CSF/3374U/F | M          | 62.0     | 82.0 | 76 | 67.5     | 83.0 | 78   | 80.5     | 70.0 | 73   | 79.0     | 77.0 | 78   | 77.0     | 65.0 | 69   | 85.5     | 100.0 | 96   | 22    | 96.00  | 4.36   | 65.0  | 274.5 | 4.22   | NP  |    |  |  |  |  |  |
| 15                           | MAY23/CSF/3264U/F | F          | 64.5     | 88.0 | 67 | 87.5     | 74.0 | 78   |          |      | 70   |          |      | 70   | 73.5     | 86.0 | 82   | 88.5     | 85.0  | 86   | 22    | 95.50  | 4.34   | 65.0  | 283.5 | 4.36   | NP  |    |  |  |  |  |  |
| 16                           | MAY23/CSF/3375U   | F          | 57.0     | 74.0 | 69 | 82.5     | 54.0 | 63   | 80.0     | 60.0 | 66   | 81.0     | 59.0 | 66   | 63.5     | 76.0 | 72   | 90.5     | 44.0  | 58   | 22    | 72.50  | 3.30   | 65.0  | 228.0 | 3.51   | NP  |    |  |  |  |  |  |
| 17                           | MAY23/CSF/3030U/H | M          | 70.0     | 60.0 | 63 | 80.0     | 50.0 | 59   | 90.0     | 65.0 | 73   | 66.0     | 56.0 | 59   | 63.5     | 59.0 | 60   | 80.0     | 72.0  | 74   | 22    | 70.00  | 3.18   | 65.0  | 212.0 | 3.26   | NP  |    |  |  |  |  |  |
| 18                           | MAY23/CSF/2871U/F | M          |          |      |    | 75       |      |      | 80       |      |      | 75       |      |      | 80       | 75.0 | 84.0 | 81       | 88.5  | 88.0 | 88    | 22     | 106.50 | 4.84  | 65.0  | 309.5  | 4.76  | NP |  |  |  |  |  |
| 19                           | MAY23/CSF/3082U/F | M          |          |      |    | 75       | 61.5 | 67.0 | 65       |      |      | 60       | 83.5 | 44.0 | 56       | 86.0 | 80.0 | 82       | 63.0  | 47.0 | 52    | 22     | 72.50  | 3.30  | 65.0  | 232.5  | 3.58  | NP |  |  |  |  |  |
| 20                           | MAY23/CSF/3022U/H | M          | 83.5     | 69.0 | 73 |          |      |      | 65       |      |      | 65       |      |      | 75       | 92.5 | 80.0 | 84       | 72.0  | 54.0 | 59    | 22     | 83.00  | 3.77  | 65.0  | 255.0  | 3.92  | NP |  |  |  |  |  |
| 21                           | MAY23/CSF/3096U/F | M          | 68.0     | 67.0 | 67 | 90.0     | 51.0 | 63   | 87.5     | 69.0 | 75   | 81.5     | 48.0 | 58   | 72.0     | 53.0 | 59   | 83.0     | 80.0  | 81   | 22    | 78.00  | 3.55   | 65.0  | 240.5 | 3.70   | NP  |    |  |  |  |  |  |
| 22                           | MAY23/CSF/2920U/F | M          | 66.5     | 81.0 | 77 | 65.0     | 89.0 | 68   | 88.5     | 83.0 | 85   | 81.5     | 92.0 | 82   | 78.5     | 89.0 | 86   | 86.5     | 84.0  | 85   | 22    | 108.50 | 4.93   | 65.0  | 301.5 | 4.64   | NP  |    |  |  |  |  |  |
| 23                           | MAY23/CSF/2682U/H | M          | 63.0     | 72.0 | 69 | 72.5     | 51.0 | 57   | 89.0     | 69.0 | 75   | 83.5     | 53.0 | 62   | 72.5     | 77.0 | 76   | 89.5     | 76.0  | 80   | 22    | 84.00  | 3.82   | 65.0  | 255.0 | 3.92   | NP  |    |  |  |  |  |  |
| <b>PROBATIONARY PROGRESS</b> |                   |            |          |      |    |          |      |      |          |      |      |          |      |      |          |      |      |          |       |      |       |        |        |       |       |  |   |    |  |  |  |  |  |
| 1                            | MAY23/CSF/3360U/H | M          |          |      |    |          |      |      | 86.0     | 96.0 | 93   |          |      |      |          |      |      |          |       |      | 4     | 20.00  | 5.00   | 4.0   | 20.0  | 5.00   | MSD CSC 1101.MSD CIT 1100.MSD BBA 1104.MSD BBA 1106.MSD CSC 1104.MSD MMT 1104.MSD CSC       |    |  |  |  |  |  |
| 2                            | MAY23/CSF/3020U/F | M          | 63.0     |      | 19 |          |      |      |          |      |      |          |      |      |          |      |      |          |       |      | 3     | 0.00   | 0.00   | 41.0  | 122.5 | 2.99   | CSC 1203.MSD CSF 2100.MSD CNW 2100.MSD CIS  |    |  |  |  |  |  |
| 1                            | MAY23/CSF/3276U/H | M          | 60.5     | 73.0 | 69 | 67.5     | 44.0 | 51   | 81.5     | 50.0 | 59   | 86.0     | 41.0 | 55   | 75.0     | 58.0 | 63   | 83.0     | 66.0  | 71   | 22    | 63.50  | 2.89   | 65.0  | 189.0 | 2.91   | MSD Ex BBA 1204.MSD Cw HPS 1200.  |    |  |  |  |  |  |
| 2                            | MAY23/CSF/3017U/H | F          | 87.5     |      | 26 |          |      |      |          |      |      |          |      |      |          |      |      | 41.0     |       | 12   | 7     | 0.00   | 0.00   | 13.0  | 0.0   | 0.00   | MSD CSC 1101.MSD CIT 1100.MSD BBA 1104.MSD BBA 1106.MSD Ex CSC 1104.MSD MMT 1104.MSD CSC    |    |  |  |  |  |  |
| 3                            | MAY23/CSF/2628U/F | M          | 66.5     | 59.0 | 61 | 82.5     | 71.0 | 74   | 97.0     | 73.0 | 80   | 71.0     | 69.0 | 70   | 72.5     | 76.0 | 75   | 87.5     | 70.0  | 75   | 22    | 92.50  | 4.21   | 60.0  | 244.5 | 4.08   | MSD COE 1300.   |    |  |  |  |  |  |
| 4                            | MAY23/CSF/2766U/F | M          | 75.0     |      | 23 |          |      |      |          |      |      |          |      |      | 87.5     |      | 20   |          |       |      | 6     | 0.00   | 0.00   | 44.0  | 46.5  | 1.06   | MSD Cw CSC 1104.MSD Cw CSC 1207.MSD Cw CSC 1203.CTR BBA 1204.CTR.HPS 1200.MSD Cw CSC        |    |  |  |  |  |  |
| 5                            | MAY23/CSF/3025U/F | M          | 71.5     | 54.0 | 59 | 92.5     | 46.0 | 60   | 86.0     | 40.0 | 54   | 83.0     | 25.0 | 42   | 73.5     | 45.0 | 54   | 79.5     | 70.0  | 73   | 22    | 49.50  | 2.25   | 62.0  | 174.5 | 2.82   | MSD Cw CSC 1203.MSD BBA 1204.CTR CSC 2101.  |    |  |  |  |  |  |
| 6                            | MAY23/CSF/2859U/F | F          | 67.5     | 75.0 | 73 | 70.0     | 62.5 | 65   |          |      |      | 66.0     | 44.0 | 51   | 73.5     | 63.0 | 66   | 92.5     | 60.0  | 70   | 18    | 60.50  | 3.36   | 61.0  | 227.5 | 3.73   | MSD CNW 2100.   |    |  |  |  |  |  |
| 7                            | MAY23/CSF/3270U/F | M          | 70.0     | 88.0 | 69 | 70.0     | 53.0 | 58   | 91.0     | 62.0 | 71   | 85.5     | 43.0 | 56   | 60.5     | 70.0 | 67   | 88.5     | 72.0  | 77   | 22    | 75.00  | 3.41   | 65.0  | 221.5 | 3.41   | MSD Cw MMT 1104.MSD Cw CSC 1203.  |    |  |  |  |  |  |
| 8                            | MAY23/CSF/2682U/H | M          |          |      |    | 80.0     | 38.0 | 51   |          |      |      | 68.0     | 67.0 | 67   | 72.5     | 76.0 | 75   | 87.5     | 58.0  | 67   | 15    | 49.50  | 3.30   | 58.0  | 201.0 | 3.47   | MSD Cw CIT 1100.MSD BBA 2108.MSD CNW 2100.  |    |  |  |  |  |  |
| 9                            | MAY23/CSF/3076U/F | F          | 68.0     | 52.0 | 57 | 87.5     | 61.0 | 69   | 88.5     | 48.0 | 60   | 83.5     | 40.0 | 53   | 63.0     | 58.0 | 59   | 85.5     | 76.0  | 79   | 22    | 67.00  | 3.05   | 65.0  | 169.0 | 2.60   | MSD Ex BBA 1106.MSD Cw CSC 1203.MSD Ex HPS 1200.  |    |  |  |  |  |  |
| 10                           | MAY23/CSF/2762U/F | M          | 57.0     |      | 17 | 82.5     | 82.0 | 82   | 89.5     | 66.0 | 73   | 85.0     | 59   |      | 74.0     | 52   | 89.0 | 88.0     | 88    | 22   | 72.00 | 3.27   | 57.0   | 244.0 | 4.28  | MSD BBA 1204.MSD COE 1300.MSD Ex BBA 2108.MSD Cw CSC 2101.MSD Cw CSC 2103. |   |    |  |  |  |  |  |
| 11                           | MAY23/CSF/3144U/F | M          | 72.5     | 61.0 | 64 | 87.5     | 83.0 | 84   | 91.0     | 69.0 | 78   | 76.5     | 89.0 | 85   | 80.5     | 87.0 | 85   | 94.5     | 94.0  | 94   | 22    | 102.00 | 4.64   | 60.0  | 272.0 | 4.53   | MSD COE 1300.   |    |  |  |  |  |  |
| 12                           | MAY23/CSF/2829U/F | M          |          |      |    | 82.5     | 76.0 | 78   | 86.0     | 56.0 | 65   | 83.0     | 70.0 | 74   | 66.5     | 88.0 | 82   | 81.0     | 66.0  | 71   | 19    | 79.00  | 4.16   | 62.0  | 262.5 | 4.23   | MSD BBA 2108.   |    |  |  |  |  |  |
| 13                           | MAY23/CSF/3060U/F | M          | 55.0     | 76.0 | 70 | 92.5     | 44.0 | 59   |          |      |      | 77.0     | 78.0 | 78   | 78.0     | 74.0 | 75   | 86.5     | 79.0  | 81   | 18    | 73.50  | 4.08   | 61.0  | 233.0 | 3.82   | MSD CNW 2100.   |    |  |  |  |  |  |
| 14                           | MAY23/CSF/3091U/F | M          |          |      |    | 85.0     | 43.0 | 56   | 81.0     | 69.0 | 73   | 77.0     | 43.0 | 53   | 75.0     | 51.0 | 58   | 59.5     | 46.0  | 50   | 19    | 49.50  | 2.61   | 42.0  | 135.5 | 3.23   | MSD CSC 1101.MSD BBA 1104.MSD BBA 1106.MSD CSC 1104.MSD MMT 1104.MSD COE 1300.MSD BBA 2108. |    |  |  |  |  |  |
| 15                           | JAN23/CSF/2095U   | M          |          |      |    |          |      |      | 86.5     | 93.0 | 91   | 81.0     | 52.0 | 61   |          |      |      |          |       |      |       |        |        |       |       |  |   |    |  |  |  |  |  |

  

| Semester 1 |  | Year 2 Semester 1         |         | Credit Units: Min - 22, Max - 22 |      |       |             |          |
|------------|--|---------------------------|---------|----------------------------------|------|-------|-------------|----------|
|            |  | Percentage Pass - summary |         |                                  |      |       |             |          |
| Code       | Name                                   | CU                        | CW Only | Ex Only                          | Both | Total | Passed      | Failed   |
| BBA 2108   | Entrepreneurship Theory & Principles   | 3                         | 4       | 0                                | 31   | 35    | 31 (100.0%) | 0 (0.0%) |
| CIS 2101   | Database Management Systems            | 4                         | 0       | 0                                | 36   | 36    | 36 (100.0%) | 0 (0.0%) |
| CNW 2100   | Computer Networks & Data Communication | 4                         | 0       | 0                                | 34   | 34    | 34 (100.0%) | 0 (0.0%) |
| CSC 2101   | Operating Systems                      | 4                         | 0       | 1                                | 35   | 36    | 34 (97.1%)  | 1 (2.9%) |
| CSC 2103   | Artificial Intelligence                | 3                         | 1       | 1                                | 34   | 36    | 34 (100.0%) | 0 (0.0%) |
| CSF 2100   | Computer Forensic Tools                | 4                         | 1       | 0                                | 35   | 36    | 35 (100.0%) | 0 (0.0%) |

Dean's signature .....  
Date .....

Vice Chancellor's signature .....  
Date .....